



IP66 Industrial Range Surface Switches

Data 20 Specification 2/









[DESCRIPTION]

The IMPACT S Series is the latest in the range of IP66 rated surface switches, designed for tough Australian conditions. Two new features are a new lockable soft feel rotary switch and a unique ID label panel allowing circuit identification. An optional LED Phase indicator kit and ID labels are also available. Manufactured from impact resistant material ensures it will withstand harsh treatment in most industrial environments.

[FEATURES]

- Impact Resistant
- Lockable Soft Feel Rotary Switch
- 7mm Ø Lockable Handle
- Ample Conduit Entries
- Optional ID Label Kit
- Optional LED Phase Indicator

[TECHNICAL PARAMETERS]

- Rated Voltage: 250V/500V AC
- Rated Frequency: 50/60Hz
- Operating Temp: -40°C 80°C
- IP Protection: IP66
- Complies with Standard AS/NZS IEC 60947.1:2015 AS/NZS 60947.3:2018

[APPROVALS] SAA Approved

S220-S



S350-S Side



[IMAGES]

[SPECIFICATIONS]

Product Code	Rating (Amps)	Voltage (V)	No. Of Switching Poles	Conduit Entries
S110-S	10A	250V	1	2 x 20mm, 2 x 25mm
S110-2S	10A/2 Way	250V	1	2 x 20mm, 2 x 25mm
S216-S	16A	250V	2	3 x 25mm, 1 x 32mm
S220-S	20A	250V	2	3 x 25mm, 1 x 32mm
S232-S	32A	250V	2	3 x 25mm, 1 x 32mm
S316-S	16A	415V	3	3 x 25mm, 1 x 32mm
S320-S	20A	415V	3	3 x 25mm, 1 x 32mm
S332-S	32A	415V	3	3 x 25mm, 1 x 32mm
S340-S	40A	415V	3	3 x 25mm, 1 x 32mm
S350-S	50A	415V	3	3 x 25mm, 1 x 32mm
S363-S	63A	415V	3	3 x 25mm, 1 x 32mm

[WARRANTY]

Connected Switchgear IMPACT S series of product come with a trusted 5 Year In House Warranty. That means that you have peace of mind knowing that if a fault develops within a five year period, Connected Group Australia will cover the cost of replacing the product and it's installation.*

* See our website for full terms and conditions www.connectedswitchgear.com.au

[RELATED PRODUCTS]



