

CONNECTED
switch gear®

We will turn you on®

LUNA

Series

**Switches and Socket
Outlets**

TRUSTED

5
YEAR
WARRANTY
IN HOUSE


Data Specification 2018

1300 071 378

The LUNA Series range of wall switches and socket outlets are fineline product at only 6.5mm thick. For contractors requiring a minimalistic design. Manufactured from virgin polycarbonate material, it won't fade or yellow with time. Rated at 240V AC 10amps, switch contacts are made from a silver nickel coating to prevent arcing, terminal screws are made from solid brass. All LUNA Series products come with a 5 Year InHouse Warranty. Available in white and black with optional cover plates in brushed aluminium, brushed brass and powdercoat silver. 84mm screw centre mountings.

Features

- 6.5mm Thick
- UV Stable
- Available in White and Black
- 2 Way Switch Mechanism
- Optional Range of Coverplates
- Brass Terminals & Screws
- Interchangeable Mechanisms



Approvals

Energy Safe Victoria

Technical Parameters

- Rated Voltage: 240V ac
- Rated Frequency 50Hz / 60Hz
- Complies with AS/NZ3133
- Cut out 76mm x 55mm
- Overall Plate Size: 7.8 x 11.5cm

Specifications

Light Switches					
Product Code	Description	Rating (Amps)	No. Of Gangs	Configuration	Colour
LS101V	Light Switch	10A	1 gang	Vertical	WHITE
LS102V	Light Switch	10A	2 gang	Vertical	WHITE
LS103V	Light Switch	10A	3 gang	Vertical	WHITE
LS104V	Light Switch	10A	4 gang	Vertical	WHITE
LS105V	Light Switch	10A	5 gang	Vertical	WHITE
LS106V	Light Switch	10A	6 gang	Vertical	WHITE
LS101VB	Light Switch	10A	1 gang	Vertical	BLACK
LS102VB	Light Switch	10A	2 gang	Vertical	BLACK
LS103VB	Light Switch	10A	3 gang	Vertical	BLACK
LS104VB	Light Switch	10A	4 gang	Vertical	BLACK
LS105VB	Light Switch	10A	5 gang	Vertical	BLACK
LS106VB	Light Switch	10A	6 gang	Vertical	BLACK


Grid and Plates					
Product Code	Description	Rating (Amps)	No. Of Gangs	Configuration	Colour
PB1	Grid and Plate	N/A	1 gang	Vertical	WHITE
PB2	Grid and Plate	N/A	2 gang	Vertical	WHITE
PB3	Grid and Plate	N/A	3 gang	Vertical	WHITE
PB4	Grid and Plate	N/A	4 gang	Vertical	WHITE
PB5	Grid and Plate	N/A	5 gang	Vertical	WHITE
PB6	Grid and Plate	N/A	6 gang	Vertical	WHITE
PB1B	Grid and Plate	N/A	1 gang	Vertical	BLACK
PB2B	Grid and Plate	N/A	2 gang	Vertical	BLACK
PB3B	Grid and Plate	N/A	3 gang	Vertical	BLACK
PB4B	Grid and Plate	N/A	4 gang	Vertical	BLACK
PB5B	Grid and Plate	N/A	5 gang	Vertical	BLACK
PB6B	Grid and Plate	N/A	6 gang	Vertical	BLACK

Description

The LUNA Series is a range of wall switches and socket outlets are fineline product at only 6.5mm thick. For contractors requiring a minimalistic design. Manufactured from virgin polycarbonate material, it won't fade or yellow with time. Rated at 240V AC 10amps, switch contacts are made from a silver nickel coating to prevent arcing, terminal screws are made from solid brass. All LUNA Series products come with a 5 Year InHouse Warranty. Available in white and black with optional cover plates in brushed aluminium, brushed brass and powdercoat silver. 84mm screw centre mountings.

Features

- 6.5mm Thick
- UV Stable
- Available in White and Black
- Optional 15amp Rating
- Optional Range of Coverplates
- Brass Terminals & Screws
- Interchangeable Mechanisms
- Vertical Configurations Available



Approvals

Energy Safe Victoria

Technical Parameters

- Rated Voltage: 240V ac
- Rated Frequency 50Hz / 60Hz
- Complies with standard AS/NZ3133 & AS/NZS3112
- Cut out 76mm x 55mm
- Overall Plate Size: 7.8 x 11.5cm

Specifications


Product Code	Rating (Amps)	No. Of Gangs	Configuration	Colour
POS10	10A	Single GPO	Horizontal	WHITE
POS10X	10A	Single GPO + extra switch	Horizontal	WHITE
POS10XX	10A	Single GPO + 2 extra switch	Horizontal	WHITE
POS15	15A	Single GPO	Horizontal	WHITE
POD10	10A	Double GPO	Horizontal	WHITE
POD10X	10A	Double GPO + extra switch	Horizontal	WHITE
POD15	15A	Double GPO	Horizontal	WHITE
POS10V	10A	Single GPO	Vertical	WHITE
POS10XV	10A	Single GPO + extra switch	Vertical	WHITE
POS10XXV	10A	Single GPO + 2 extra switch	Vertical	WHITE
POS15V	15A	Single GPO	Vertical	WHITE
POD10V	10A	Double GPO	Vertical	WHITE
POD10XV	10A	Double GPO + extra switch	Vertical	WHITE
POD15V	15A	Double GPO	Vertical	WHITE
PO410	10A	Four Gang GPO	Horizontal	WHITE
POS10B	10A	Single GPO	Horizontal	BLACK
POS10XB	10A	Single GPO + extra switch	Horizontal	BLACK
POS10XXB	10A	Single GPO + 2 extra switch	Horizontal	BLACK
POS15B	15A	Single GPO	Horizontal	BLACK
POD10B	10A	Double GPO	Horizontal	BLACK
POD10XB	10A	Double GPO + extra switch	Horizontal	BLACK
POD15B	15A	Double GPO	Horizontal	BLACK
POS10VB	10A	Single GPO	Vertical	BLACK
POS10XVB	10A	Single GPO + extra switch	Vertical	BLACK
POS10XXVB	10A	Single GPO + 2 extra switch	Vertical	BLACK
POS15VB	15A	Single GPO	Vertical	BLACK
POD10VB	10A	Double GPO	Vertical	BLACK
POD10XVB	10A	Double GPO + extra switch	Vertical	BLACK
POD15VB	15A	Double GPO	Vertical	BLACK
PO410B	10A	Four Gang GPO	Horizontal	BLACK



PO410
20.3cm x 7.8cm

BW4
19.1cm x 9.2cm

Optional Cover Plates



Brushed Brass

Cover plates for light switches are available in 1 to 6 gang.

Cover plates for power outlets are available in vertical and horizontal configurations.



Brushed Aluminium

Cover plates for light switches are available in 1 to 6 gang.

Cover plates for power outlets are available in vertical and horizontal configurations.



Powdercoat Silver

Cover plates for light switches are available in 1 to 6 gang.

Cover plates for power outlets are available in vertical and horizontal configuration.

Specifications

Cover Plates			
Product Code	Description	No. of Gangs	Colour
CBPOS	Single GPO Cover Plate	Single GPO	BRUSHED BRASS
CBPOSX	Single GPO Cover Plate	Single GPO + Extra Switch	BRUSHED BRASS
CBPOSXX	Single GPO Cover Plate	Single GPO + 2 Extra Switch	BRUSHED BRASS
CBPOD	Double GPO Cover Plate	Double GPO	BRUSHED BRASS
CBPODX	Double GPO Cover Plate	Double GPO + Extra Switch	BRUSHED BRASS
CBPO4	4 Gang GPO Cover Plate	4 Gang GPO	BRUSHED BRASS
CB1	Light Switch Cover Plate	1 Gang	BRUSHED BRASS
CB2	Light Switch Cover Plate	2 Gang	BRUSHED BRASS
CB3	Light Switch Cover Plate	3 Gang	BRUSHED BRASS
CB4	Light Switch Cover Plate	4 Gang	BRUSHED BRASS
CB5	Light Switch Cover Plate	5 Gang	BRUSHED BRASS
CB6	Light Switch Cover Plate	6 Gang	BRUSHED BRASS
CBLSTD	Time Delay Cover Plate	1 Gang Time Delay	BRUSHED BRASS
CBTO610	Telephone Plate Cover Plate	Telephone Plate	BRUSHED BRASS
CBPOSV	Single Vertical GPO Cover Plate	Single Vertical GPO	BRUSHED BRASS
CBPOSXV	Single Vertical GPO Cover Plate	Single Vertical GPO + Extra Switch	BRUSHED BRASS
CBPOSXXV	Single Vertical GPO Cover Plate	Single Vertical GPO + 2 Extra Switch	BRUSHED BRASS
CBPODV	Double Vertical GPO Cover Plate	Double Vertical GPO	BRUSHED BRASS
CBPODXV	Double Vertical GPO Cover Plate	Double Vertical GPO + Extra Switch	BRUSHED BRASS
CAPOS	Single GPO Cover Plate	Single GPO	BRUSHED ALUMINIUM
CAPOSX	Single GPO Cover Plate	Single GPO + Extra Switch	BRUSHED ALUMINIUM
CAPOSXX	Single GPO Cover Plate	Single GPO + 2 Extra Switch	BRUSHED ALUMINIUM
CAPOD	Double GPO Cover Plate	Double GPO	BRUSHED ALUMINIUM
CAPODX	Double GPO Cover Plate	Double GPO + Extra Switch	BRUSHED ALUMINIUM
CAPO4	4 Gang GPO Cover Plate	4 Gang GPO	BRUSHED ALUMINIUM
CA1	Light Switch Cover Plate	1 Gang	BRUSHED ALUMINIUM
CA2	Light Switch Cover Plate	2 Gang	BRUSHED ALUMINIUM
CA3	Light Switch Cover Plate	3 Gang	BRUSHED ALUMINIUM
CA4	Light Switch Cover Plate	4 Gang	BRUSHED ALUMINIUM
CA5	Light Switch Cover Plate	5 Gang	BRUSHED ALUMINIUM
CA6	Light Switch Cover Plate	6 Gang	BRUSHED ALUMINIUM
CALSTD	Time Delay Cover Plate	1 Gang Time Delay	BRUSHED ALUMINIUM
CATO610	Telephone Plate Cover Plate	Telephone Plate	BRUSHED ALUMINIUM
CAPOSV	Single Vertical GPO Cover Plate	Single Vertical GPO	BRUSHED ALUMINIUM
CAPOSXV	Single Vertical GPO Cover Plate	Single Vertical GPO + Extra Switch	BRUSHED ALUMINIUM

Specifications

Cover Plates			
Product Code	Description	No. of Gangs	Colour
CAPOSXXV	Single Vertical GPO Cover Plate	Single Vertical GPO + 2 Extra Switch	BRUSHED ALUMINIUM
CAPODV	Double Vertical GPO Cover Plate	Double Vertical GPO	BRUSHED ALUMINIUM
CAPODXV	Double Vertical GPO Cover Plate	Double Vertical GPO + Extra Switch	BRUSHED ALUMINIUM
CPPOS	Single GPO Cover Plate	Single GPO	POWDERCOAT SILVER
CPPOSX	Single GPO Cover Plate	Single GPO + Extra Switch	POWDERCOAT SILVER
CPPOSXX	Single GPO Cover Plate	Single GPO + 2 Extra Switch	POWDERCOAT SILVER
CPPOD	Double GPO Cover Plate	Double GPO	POWDERCOAT SILVER
CPPODX	Double GPO Cover Plate	Double GPO + Extra Switch	POWDERCOAT SILVER
CPPO4	4 Gang GPO Cover Plate	4 Gang GPO	POWDERCOAT SILVER
CP1	Light Switch Cover Plate	1 Gang	POWDERCOAT SILVER
CP2	Light Switch Cover Plate	2 Gang	POWDERCOAT SILVER
CP3	Light Switch Cover Plate	3 Gang	POWDERCOAT SILVER
CP4	Light Switch Cover Plate	4 Gang	POWDERCOAT SILVER
CP5	Light Switch Cover Plate	5 Gang	POWDERCOAT SILVER
CP6	Light Switch Cover Plate	6 Gang	POWDERCOAT SILVER
CPLSTD	Time Delay Cover Plate	1 Gang Time Delay	POWDERCOAT SILVER
CPTO610	Telephone Plate Cover Plate	Telephone Plate	POWDERCOAT SILVER
CPPOSV	Single Vertical GPO Cover Plate	Single Vertical GPO	POWDERCOAT SILVER
CPPOSXV	Single Vertical GPO Cover Plate	Single Vertical GPO + Extra Switch	POWDERCOAT SILVER
CPPOSXV	Single Vertical GPO Cover Plate	Single Vertical GPO + 2 Extra Switch	POWDERCOAT SILVER
CPPODV	Double Vertical GPO Cover Plate	Double Vertical GPO	POWDERCOAT SILVER
CPPODXV	Double Vertical GPO Cover Plate	Double Vertical GPO + Extra Switch	POWDERCOAT SILVER

Architrave Switches						Dimensions (mm)		
Product Code	Description	Rating (Amps)	No. Of Gangs	Configuration	Colour	Length	Width	Depth
LSA1	Architrave Light Switch	10A	1 gang	Vertical	WHITE	82	38	6.5
LSA2	Architrave Light Switch	10A	2 gang	Vertical	WHITE	102	38	6.5
LSA3	Architrave Light Switch	10A	3 gang	Vertical	WHITE	130	38	6.5
LSA4	Architrave Light Switch	10A	4 gang	Vertical	WHITE	154	38	6.5
LSA1B	Architrave Light Switch	10A	1 gang	Vertical	BLACK	82	38	6.5
LSA2B	Architrave Light Switch	10A	2 gang	Vertical	BLACK	102	38	6.5
LSA3B	Architrave Light Switch	10A	3 gang	Vertical	BLACK	130	38	6.5
LSA4B	Architrave Light Switch	10A	4 gang	Vertical	BLACK	154	38	6.5

Switches & Socket Outlets Series Comparison

					
Category	Standard	Standard	Slimline	Slimline	Metal Plate
Warranty	6 mth replace	5 yr in house	5 yr in house	5 yr in house	10 yr in house
Internal Metal Components	Polycarbonate /Nylon	Polycarbonate	Polycarbonate	Polycarbonate	Stainless Steel /Polycarbonate
Terminal Screws	Brass	Brass	Brass	Brass	Brass
Switch Contacts	Silver	Silver/Nickel	Silver	Silver	Silver
Voltage Rating	240V ac	240V ac	240V ac	240V ac	240V ac
Wall Switch Dimensions	74x116x13	77x115x13	77x115x6.5	77x115x6.5	86x131x1.2
GPO Dimensions	74x116x16	77x115x13	77x115x6.5	77x115x6.5	86x131x1.2
Wall Switch Mechanism Rating	16A	16AX	10AX	10AX	10AX
Vertical GPO	✘	✘	✓	✓	✘
4 Gang GPO	✘	✘	✓	✓	✘
Wall Switches	1-6 gang	1-6 gang	1-6 gang	1-6 gang	1-6 gang
Removable Extra Switch on GPO	✓	✓	✓	✓	✓
GPO Configuration	Horizontal	Horizontal	Horizontal/Vertical	Horizontal/Vertical	Horizontal
15A GPO	Single Only	Single/Double	Single/Double	Single/Double	✘
20A GPO	✘	✓	✘	✘	✘
Quick Fit GPO	✘	✓	✘	✘	✘
Architrave Switches	1-2 gang	1-2 gang	1-4 gang	1-2 gang	✘
Colours	White	White/Black	White/Black	White/Black	White/Black
Mounting Block Colours	White	White/Black	✘	White/Black	✘
Mounting Block Size	14/30	14/30	✘	10/14/18/30/35	✘
Cover Plates	Aluminium	Stainless Steel	Aluminium/Brass	Aluminium/Brass	✘
Architrave Cover Plates	✘	✘	✘	1-4 gang	✘
Paint Covers	✓	✓	✓	✓	✘
Single USB Compatible	✓	✓	Grid Plates Only	Grid Plates Only	Grid Plates Only
Dual USB Compatible	✓	✓	✓	✓	✓
Interchangeable with Clipsal Mechanisms	✓	✓	✓	✓	✓

NOTE: All measurements are in millimetres.